





I trust Zill.

Windbreak nets and PVC strips by Zill

Recommended by building consultants and veterinarians





Windbreak nets

Art. 100 fine-meshed


Fastening systems

Art. 100/200


- ideal for the covering of large spaces
- mesh approx. 1x1 mm
- wind refraction approx. 90 %



Windbreak nets with hollow edge on top and bottom



Windbreak nets with ratchet tightening system (with eyelets and reinforced border)







Windbreak nets with reinforced border and eyelets



Windbreak nets

Art. 100 fine meshed

size in m	color: green
1,0 x 50/100	
1,5 x 50/100	
2,0 x 50/100	
3,0 x 50/100	


confection on request



UV-stable,
weather resistant



no draft






Windbreak nets

Art. 200 wide-meshed

- as a window replacement or optionally for smaller spaces
- mesh approx. 2 x 3 mm
- wind refraction approx. 65 %



Different wind protection systems

Art. 100/200



Rollerdoor RX 2100

Robust quality with guide rails and cross bracing alternatively with manual or motor control



Double coiling system

Our double coiling system permits a control of fresh air according to the weather conditions



Rollerscreen

Fast opening and closing of gateways and stable fronts

Windbreak nets


Art. 200 wide-meshed

size in m	color: green
1,0 x 50	
1,5 x 50	
2,0 x 50	

confection on request

UV-stable, weather-resistant

no draft




Flexible PVC strips by Zill



The transparent-blue soft PVC strips offer an ideal wind protection in passages and gateways and at the same time high transparency.

- resistant to cold to -35°
- rounded edges
- weather-resistant



Flexible PVC strips transparent

width in mm	thickness in mm	length in m
300	3	25/50
200	2/3	25/50


Other qualities on request!



UV stable,
weather-resistant



stops draft in
passage ways



Fixing for PVC strips

easy handling to hang in and out

- Fixing made of stainless steel for PVC strips

If you have any questions to the products of Zill please apply to:

Zill Service Team phone: +49 90 72/ 95 81-0, telefax: +49 90 72/ 95 81-30 , e-mail: zill@zillnet.de

Zill GmbH & Co. KG, Hanns-Martin-Schleyer Straße 31, 89415 Lauingen, Germany